

Development of Low Carbon Scenarios for Asia Regions

http://www.lowcarbon-asia.jp/



http://2050.nies.go.jp/LCS/

# Roles of GHG Inventories at Regional or City Level for Developing Future GHG Emission/Removal Projection

Shuichi Ashina


National Institute for Environmental Studies

E-mail: ashina.shuichi@nies.go.jp

The presentation includes research outcomes from The Environment Research and Technology Development Fund (ERTDF, S-6, 2A-1103, 2-1402 and 2-1404) of Ministry of the Environment, Japan and the Science and Technology Research Partnership for Sustainable Development (SATREPS) by JST/JICA (the Japan Science and Technology Agency and the Japan International Cooperation Agency).


> The 12th Workshop on GHG Inventories in Asia (WGIA12) Capacity building for measurability, reportability and verifiability – August 4-6, 2014 at Pullman Bangkok King Power







#### 2014/08/05

# To be, and to be: that is our way






### Research Project on Asia Low Carbon Society Scenarios toward 2050



# There is potential to reduce GHG emissions by 69% compared to the reference case in Asia

- The global emissions will become 1.8 times larger compared to the 2005 level and emissions in Asia will be doubled under the reference scenario.
- It is feasible to reduce GHG emissions in Asia by 69% by introducing ten actions and Others (CH<sub>4</sub> and N<sub>2</sub>O emissions from other than agriculture and livestock) appropriately compared to the reference scenario in 2050.




GHG emissions in Reference and LCS scenarios

## Next Step of LCS Study: How to Mobilize People and Society?

- Transition to the LCS is not an easy task it is vital to gain the cooperation of a wide range of stakeholders, including policy makers, international aid agencies, private companies, local communities and NGOs.
- In order to mobilize people and society, "Realization of issues and revealing clear answers" are key for getting their continuous concern for achieving LCS.
- Stakeholders are concerned with LCS scenarios and actions in their own region/city/district.

Designing Regional/City LCS Scenarios and its Implementation Strategy

Example of LCS Strategy of City-scale: Kyoto-city



Example of LCS Building Design and its Implementation Strategy: Iskandar Malaysia

			nan haan faasi kari aan Baasta ni ha aasha aharan ka ayay in baasta Malaysin, ki a ki Mita aana di abbihdi ad sagaya sayadiy kari na Jaha ad kabahdi ad saga saga salah saya karana ana di saga Mita ayaa ada manga ada baasag ada saya saya saya saya saya saya baasg naasaan ad gangaman		
		The second	Maure ( Handshigton over)		
1	ATTER IN	Contraction of the second	Programs - Browinging of loter fivial Primoring, Primori installuture - Browing of loter Terms for Foury generation		
10	the second second		Masue 2 Vetols suggestation		
	reen Energy	Programs - Appying webs treatment subscorger: to every from municipalization wate (MINE, apriculture wat Net Study)			
Q	nd Renewabl	March 3 Typinger attaction			
G	reenhouse Gases Reduc	Manus, reverse programmed and a softward and profession in some men the proof is introduced and only only proof is not some, then, the optimization of the story program is the Constraint of the softward and the softward of the Constraint of the softward of the softward is the Constraint of the softward of the softward theory of the softward of the softward of the softward theory of the softward of the softward of the softward theory of the softward of the softward of the softward theory of the softward of the softward of the softward of the softward theory of the softward of the softward of the softward of the softward theory of the softward of the softwar	In open		
	LONHON	Los estada de distante como il provinen el escentras en abilitate sel discistante el cal <sup>14</sup> sun las presente de distates menetate and atemptine estado, Princip Rock estas, il a experisa, que la 20% altituites el 2011 en las miseantes, altituitate de tensada messare resultantes,	energy surganization by employing 40 tool energy parameters for power protection, here ing, print relations surganization range or system, self-dealing system, derived respon- cient off-states of energy transpire a systemic based on the implementation of automatic and in the state of the implementation of automatic and in the state of the states 200 (200 Mill) of some		
	Roll of Bells Responses of Responsible Manuarise Process	Revenue of a starting	be availed by 2025.		
	Contraction of the second second second	Winter of song, fan oaste	The measures and programs to ensure the esti-		
		Rytinger utilation	the smart grid are as follows:		
4	Residence in Manuscherge Spins	Readinging of the factor companyment			
		Webspread out of simply our spi	shave I invising Enricher every system		
		Billucian of duriand response technologies	- Taking plot project for instantion of distinguish		
		Independent of power management options (If fact-raising al)	provide system by provide address of the local system.		
	Pressure of exactions and belowing and				



Internet & nonconstant of power rearrangement system (P. Netmanging) Fight Non-Stations with P. House power of power rearrangement field of the system of the system of power rearrangement Stations, examine power secondly and autoints power Stations, examine power secondly and autoints Stations and P. Housemann with the station

Provision of incurchase and Subsidiar and Eurhadron of Tariff Kales

Inventional, Audioteda and reasonable configuration to distanti la parabrichito de la configura reasonate de configuração contrato. Table de arragin configuration de configuração configuration de la configuración de la configuração entrato de la configuração de las configuração de la configuração de la configuração de las configuração de la configuração de la configuração de las configuração de la configuração de la configuração de las configuração de la configuração de la configuração de las configuraçãos de las de las de las de las configuraçãos de las configuraçãos de las configuraçãos de las delas de las de las de las de


1. So annote the assumption controloging of the system, and a white indexe a row werg concurrent or profile investigation is interesting scales and attraction. The measures and programs are as highlighted. After the measures and programs are as highlighted.

Represe - Santading surversite Washams to propose near terWashams, 14, promo of presented asterns for topostrom

her project the instantial of distinct of using coperative processing distribution to g measurements for contrasts for anothing contrained prior to

## Methodology for Designing Regional/City LCS Scenarios: New Paradigm should be proposed


- Region/Subnational is NOT miniature version of national situation.
- Regional characteristics should be considered for designing regional/city low carbon society scenarios.



Example: Wind situation differs island and island, and area by area.

Source: http://energy-indonesia.com/03dge/Soeripno%20Martosaputro.pdf

### Approach for Designing Regional/City LCS Sceanarios: Multi-layered Regional AIM Modeling System



# Methodology for Designing LCS Scenarios and Actions Process



### **Information and Data Collection**

- Formulating GHG Inventory
- Identification of data sources
- preliminary data formation

Synthesis and Preliminary Analysis

 Information collection for present practices and policies

### **Modeling and Analysis**

- **Development of storylines**
- Quantification scenarios

### **Developing LCS Action Plan**

- Quantification of LCS action plans
- **Development of roadmaps**

# **Objectives/Outputs**

- Identify emission reduction potentials and its co-benefit
- Estimate the cost of policy measures
- **Provide incentives** for use of innovative technologies
- Prioritize investments
- Promote behavioral and lifestyle changes
- **Monitor** norformanco


# Situation around Regional/City GHG Inventory from viewpoint of Energy Balance Table

- IEA annually releases Energy Balance Tables for OECD/Non-OECD Countries (OECD: 1960-2012, Non-OECD: 1971-2012).
- In Japan, Agency for Natural Resources and Energy (ANRE) releases national energy balance table from 1953-2013.
- ANRE also releases energy balance tables for prefecture from 1990 to 2011.
- For regional/city scale, we have some experience in Higashi-matsushima (2013), Kuwana (2013), Tome (2009), Kooriyama (2007), Joetsu (2006) and so on.
- Japan has some regional/city energy balance table but not enough for designing regional/city low carbon society scenarios in the whole country.
- Situation is exactly similar for other Asian countries.

Establishing methodology for estimating/formulating regional/city Energy Balance Table (and GHG inventory) is essential for designing LCS Scenarios in such area.


# Estimation Step for Regional/City Energy Balance Table (1)

Basic Idea: Proportional Distribution by using Statistics




# Estimation Step for Regional/City Energy Balance Table (2)

Basic Idea: Proportional Distribution by using Statistics



# Regional/City LCS design experience: In Japan and Asia

- Japan: So-so area in Fukushima prefecture
  - South part of the area are connected to Fukushima Daiichi Site
  - Target year: 2050
- Asia: Iskandar Malaysia
  - Just north of Singapore
  - Target year: 2025





# Experience in IM: National vs. Iskandar Malaysia

### Malaysia LCS Scenario

#### Iskandar Malaysia LCS Scenario

	2005	2020	2030	2020 /2005	2030 /2005			2005	2025	2025/ 2005
Population	26.1	32.8	37.3	1.3	1.4	Million	Population	1,353,200	3,005,815	2.2
Household	5.8	8.2	9.3	1.4	16	Million	No. of households	317,762	751,454	2.4
							GDP (mil RM)	37,641	176,224	4.7
GDP	509	996	1,601	2.0	3.1	Bill. RM	GDP per capita (RM/capita)	27,817	58,628	2.1
Per capita GDP	19.5	30.4	43.0	1.6	2.2	1000.RM	Gross output (mil RM)	121,431	474,129	3.9
Gross output	1,604	3,135	4,929	2.0	3.1	Bill. RM	Primary industry (mil RM)	1,860	5,375	2.9
•		-	-				Secondary industry (mil RM)	83,502	263,444	3.2
Primary	55	84	97	1.5	1.8		Tertiary industry (mil RM)	36,069	205,309	5.7
Secondary	920	1,507	2,175	1.6	2.4		Floor space for commercial (mil m <sup>2</sup> )	6.8	19.3	2.8
Tertiary	629	1,544	2,657	2.5	4.2					
Passenger	169	315	359	1.9		Bill. pass-km	Offices	1.3	1.7	2.9
÷							Shops	5.7	16.3	2.9
transport							Hospitals & Schools	0.6	1.2	2.1
Freight transport	92	150	214	1.6	2.3	Bill. t-km	Passenger transport demand (mil p-km)	3,816	8,677	2.3
							Freight transport demand (mil t-km)	1,652	5,303	3.1


Example of Estimation: Energy Consumption in Industrial Sector Energy consumption for each industry in IM

= Energy consumption for each industry in Malaysia


\* Value of gross output for each sector in IM

/ Value of gross output for each sector in Malaysia

# **Energy Demand by Sector in IM**



# GHG Emission Projection in Iskandar Malaysia




GHG Emissions in IM are projected to increase from 12,552 ktoe CO2 (2005) to 45,484 ktoe CO2 (2025 BaU)

Industry Sector will increase 4.1 times in total as compared to 2004 in GHG emission . (54%of total GHG emission in 2025 BaU)


GHG emissions per capital : 9.3 tonnes of  $CO_2$  /capita (2005) to 15.1 tonnes /capita (2025 BaU ), with CM will be reduced to 6.5 tonnes of  $CO_{2/}$ capita.

# GHG Emission Projection in Malaysia


- Energy has the largest contribution in both scenarios in all years.
- In BaU scenario, GHG emission increased by 96% (2020) and 175% (2030) from 2005
- In CM1 scenario, it was reduced by 26% (2020) and 45% (2030) from BaU, in CM2, 40% (2020) and 51% (2030).



### Experience in Japan: National Vision GHG 70% reduction in 2050 Scenario A: Vivid Techno-driven Society



# Estimation of Final Energy Consumption in Soso Area




Reduction in energy consumption

# Estimation of Fuel Consumption in Soso Area




LPG





# Low Carbon Scenario for Shinchi (1)

- Overview
  - Bau Scenario: Energy consumption and CO2 emission are almost same till 2050
  - LCS scenario: Reduction of energy consumption to 105TJ, CO2 emission reduction • is 32kt-CO<sub>2</sub> 502排出量[千トン - 消費 2005年比-73% **°**<sup>20</sup> **°**<sup>20</sup> 10 最終エネルギー [TJ] ——CO2排出削減 なりゆき なりゆき ——CO2排出削減
- Characteristics of energy supply in LCS scenario
  - In LCS scenario, PV covers 70% of electricity demands in 2050



# Low Carbon Scenario for Shinchi (2)







  col

# LCS scenario differs country/region/city

Scenarios of each region vary in terms of combination of actions and their effects.
Ex) Thailand: Higher reductions from power generation and fuel shift in Industry Vietnam: More focusing on demand side measures such as modal shift etc.



# National and Subnational LCS Scenarios



Up to now, the AIM has been developed 8 national scenarios including Vietnam and 11 sub-national scenarios such as Kyoto, Shiga and Iskandar Malaysia.

## Bridging Research to Policy

